

## Autotechnik 0W-30 PSA

1 Litre & 5 Litre

### Product Description

Bremen Autotechnik 0W/30 PSA is a fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Peugeot/Citroen power units including Blue HDi and Pure Tech engine types. Suitable for use in Petrol and Diesel engines where specified.

### Recommended for use by Bremen for the following manufacturer's specifications

ACEA: C2

PSA: B71 2312



\* Image for illustrative purposes only.

### Product Benefits

- \* Fully synthetic
- \* Reduces fuel consumption
- \* Stable lubricant film at high temperatures
- \* Suitable for extended oil drain intervals

### Product Usage

For use in engines where this viscosity and specification is required including petrol and diesel engines including those fitted with three way catalysts and diesel particulate filters

### Directions for Use

Use as per the engine manufacturers recommendations

### Storage Instructions

Store sealed and upright in a cool dry place out of the reach of children

### Shelf Life

5 years from date of manufacture

Appearance	:	Amber liquid
Odour	:	Characteristic
Solubility	:	Insoluble in water

Revision: 2 | Date: 02/02/2023

## Autotechnik 0W-30 PSA

1 Litre &amp; 5 Litre

Percentage of Biodiesel : Nil

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°C	ASTM D445	mm <sup>2</sup> /s	9.3	<12.5	9.76
Viscosity, CCS -35°C	ASTM D4684	mPa.s		6200	
Total Base Number	ASTM D2896	mg KOH/g	6		8.46
Pour Point	ASTM D97	°C		-35	
HTHS Viscosity	ASTM D4683	mPa.s	2.9		
NOACK Volatility	ASTM D5800	%		13	
Viscosity, Kinematic 40°C	ASTM D445	mm <sup>2</sup> /s			52.22
Density	ASTM D792	@ 15°C			0.847

### Safety Precautions

Please see our latest EC Safety Data Sheets for details.

### Transport Classification

Please see our latest EC Safety Data Sheets for details.